

#

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of

YAMAMURA, et al.

Appln. No.: 09/522,020

Filed: March 8, 2000



Group Art Unit: 1731

Examiner: Unassigned

IDS
09-11-00
DR

For: GLASS ROD MANUFACTURING METHOD AND GLASS
ROD MANUFACTURING APPARATUS

RECEIVED
AUG -9 2000
AUG 7, 2000
TC 1700 MAIL ROOM

INFORMATION DISCLOSURE STATEMENT

Hon. Commissioner of Patents
and Trademarks
Washington, D.C. 20231

Dear Sir:

I hereby certify that each enclosed document listed on the herewith Form PTO-1449 was cited in the attached European Search Report, dated May 26, 2000, issued in a foreign counterpart application not more than three months ago.

See that Report for the degree of relevancy (category) of each document and for the particular passages cited therefor.

Contingent Request Under Rule 97(c): Should a first action on the merits have been issued on the same day or before this IDS is filed, please accept this IDS under Rule 97(c) and charge the requisite Rule 17(p) fee to our Deposit Account No. 03-3975 under Order No. 7874/257743 and proceed to consider this IDS.


This Information Disclosure Statement is intended to be in full compliance with the rules, but should the Examiner find any part of its required content to have been omitted, prompt notice to that effect is earnestly solicited, along with additional time under Rule 97(f), to enable Applicant to comply fully.

YAMAMURA, et al. -- Appln. No.: 09/522,020

Consideration of the foregoing and enclosures plus the return of a copy of the enclosed form PTO-1449 with the Examiner's initials in the left column per MPEP 609 are earnestly solicited along with an early action on the merits

Respectfully submitted,

PILLSBURY MADISON & SUTRO LLP

By: 
Kendrew H. Colton
Reg. No. 30368
Tel. No.: (202) 861-3606
Fax No.: (202) 822-0944

KHC:amp

1100 New York Avenue, N.W.
Ninth Floor East Tower
Washington, D.C. 20005-3918
Tel: (202) 861-3000